

Catalog 2021

Maple Sugaring Equipment



MEMPROTEC

SINCE 2004



Dear Maple Syrup Producers,

We are glad to present you our 2021 maple sugaring equipment catalog.

Last year was exceptional on many levels. In fact, the maple syrup industry was very positive for the year 2020. We are talking about a record year for the production and sale of maple syrup. To make 2020 even more special, you had to deal with restrictive measures due to the health crisis and put in place at the same time when the sugar season was underway. You can therefore be proud of the work accomplished with passion and rigour during this rather memorable maple season.

The significant production that you have experienced is partly due to Mother Nature and the constant improvement of the equipment used in your sugar operations. Indeed, small and large maple syrup producers tend to use highly technological processes to simplify operations and the time spent at each stage of making maple syrup.

We are pleased to offer you a wide range of diversified and hi-tech reverse osmosis systems. Our RO's are fully adaptable to your needs, your capacities and your reality. Our systems can be fully integrated today or you can decide to progressively convert your RO system over time. One thing we are confident in, once you start working with a **MEMPROTEC** RO system, you will not be able to do without it! Also, if expansion plans of your maple farm are part of your business's future, Memprotec's reverse osmosis systems are able to grow to fit your new realities. No matter the size of your maple bush and any special needs you may have, we have a RO system for you.

Whether maple syrup production is a hobby or your career, we make no difference since our goal is to offer you the best RO's that will meet and exceed all your standards. Moreover, in the maple syrup industry, our RO's are renowned for being very efficient, easy to use and of legendary reliability. Our extensive network of distributors is also fully dedicated to providing you with after-sales service that meets your expectations.

From our team and our distributors, **MEMPROTEC** wishes you an excellent maple season 2021.



Denis Côté

Anne-Marie Côté

Alexandre Côté

Table of contents

Catalog 2021

Reverse osmosis	06
Industrial products	18
Accessories	19
Cleaner and accessories	20
Plastech spouts	22
Plastech connectors	23
Plastech accesories	25

ATLAS COPCO Vacuum	26
Erablitek Releasers	27

Loac tools	28
Stainless steal fitting, Collars	29
Camlock adapters, Valves	30
Quick clamp fittings, Connecting system	31

Distributors	32



MemProSMART

The most intelligent automation in the industry

MemPro HI-SS and MemPro DI-SS

- Intelligent operation management
- Automatic tank selection
- Tank level control & monitoring
- Intelligent automated start
- Intelligent pressure management
- Intelligent inline brix management
- System performance management
- Automatic concentrate air « MemPro Flush »
- Intelligent C.I.P. and rinsing
- Remote control & monitoring via web access
- Automated prefilter management
- PWP report by e-mail
- Soap filter management

With an intelligent reverse osmosis **MEMPROTEC** system, you have the possibility to automate gradually according to your budget.




- 🌿 **ULTRA COMPACT SYSTEM**
- 🌿 **COMPLETE AUTOMATION**
- 🌿 **SUPERIOR PERFORMANCE**
- 🌿 **EASY TO USE**

New automated model available MemPro HI-SS





Optional
Remotely controlled
via web access



Optional
Remotely controlled
via web access



MemPro 12000DD-20000DD SS

- Superior quality & performance
- Unimodular design
- Positive recirculation on membrane elements
- Stainless steel double ladder frame & plumbing
- Stainless steel pumps with Industrial motors (top mounted)
- Stainless steel integrated CIP tank
- Ventilated stainless steel electrical box
- Permeate & concentrate valve panel
- Option of expansion up to 20 elements & 5 high pressure pumps
- Programmable logic controller
- Conductivity meter & digital temperature monitor
- Low pressure & high temperature safety
- 2 independant banks of 7 X 20 inch filters in SS
- Strainer included
- 5 years limited warranty

Options :

- + Wash water management with pH meter
- + Drainage by air «Mempro Flush» patent # US 8,889,001 B2
- + Individual vessel permeate flowmeters
- + HMI with web access
- + Interstages booster pump
- + Inline brix monitor
- + SS plumbing
- + SS soap filter
- + Complete automation
- + 230V - 460V - 600V - 3 phases

MemPro 4000D-10000D SS

- Superior quality & performance
- Unimodular design
- Positive recirculation on membrane elements
- Stainless steel construction frame & plumbing
- Stainless steel pumps with Industrial motors (top mounted)
- Stainless steel integrated CIP tank
- Ventilated stainless steel electrical box
- Permeate & concentrate valve panel
- Option of expansion up to 20 elements & 5 high pressure pumps
- Programmable logic controller
- Conductivity meter & digital temperature monitor
- Low pressure & high temperature safety
- 2 independant banks of 3 X 20 inch filters
- Strainer included
- 5 years limited warranty

Options :

- + Drainage by air «Mempro Flush» patent # US 8,889,001 B2
- + Individual vessel permeate flowmeters
- + HMI with web access
- + Interstages booster pump
- + Inline brix monitor
- + SS plumbing
- + Soap filter
- + Complete automation
- + 230V - 460V - 600V - 3 phases
- + 1 independant bank of 7 X 20 inch filters in SS

Model	Membrane Quantity	Prefilter 5 microns	Feed Pump	Pressure Pump	Recirculation Pump	Amps. 240 volts	Dimensions (L x D x H)
MemPro 12000DD-SS	12 x 8"	2 x 7 x 20"	5 hp	2 x 7,5 hp	6 x 3 hp	160,2	112" x 50" x 75"
MemPro 14000DD-SS	14 x 8"	2 x 7 x 20"	5 hp	3 x 7,5 hp	7 x 3 hp	204	112" x 50" x 75"
MemPro 16000DD-SS	16 x 8"	2 x 7 x 20"	5 hp	3 x 7,5 hp	8 x 3 hp	217	112" x 50" x 75"
MemPro 18000DD-SS	18 x 8"	2 x 7 x 20"	7,5 hp	4 x 7,5 hp	9 x 3 hp	297	112" x 50" x 75"
MemPro 20000DD-SS *	20 x 8"	2 x 7 x 20"	7,5 hp	4 x 7,5 hp	10 x 3 hp	310	112" x 50" x 96"

Model	Membrane Quantity	Prefilter 5 microns	Feed Pump	Pressure Pump	Recirculation Pump	Amps. 240 volts	Dimensions (L x D x H)
MemPro 4000D-SS	4 x 8"	6 x 20"	1 x 3 hp	2 x 5 hp	2 x 3 hp	82	109" x 34" x 76"
MemPro 6000D-SS	6 x 8"	6 x 20"	1 x 3 hp	3 x 5 hp	3 x 3 hp	114	109" x 34" x 76"
MemPro 8000D-SS *	8 x 8"	6 x 20"	1 x 3 hp	2 x 7,5 hp	4 x 3 hp	137	109" x 36" x 76"
MemPro 10000D-SS	10 x 8"	6 x 20"	1 x 5 hp	2 x 7,5 hp	5 x 3 hp	157	109" x 36" x 96"

* picture above



Optional
Remotely controlled
via web access

MemPro 1000H-6000H SS

- Superior quality & performance
- Modular conception
- Positive recirculation on membrane elements
- Stainless steel construction frame & plumbing
- Stainless steel pumps with industrial motors (top mounted)
- Stainless steel modular CIP tank
- Ventilated stainless steel electrical box
- Permeate & concentrate valve panel
- Option of expansion up to 8 elements & 4 high pressure pumps
- Programmable logic controller
- Conductivity meter & digital temperature monitor
- Low pressure & high temperature safety
- 2 independant banks of 2 X 20 inch filter housings
- Strainer included
- 5 years limited warranty

Options :

- + Wash water management with pH meter
- + Drainage by air «Mempro Flush» patent # US 8,889,001 B2
- + Individual vessel permeate flow meters
- + HMI with web access
- + Interstages booster pumps
- + Inline brix monitor
- + SS valves
- + 230V - 460V - 600V - 3 phases
- + Complete automation



Optional
Remotely controlled
via web access

MemPro 1200V-SS - 2400V-SS

- Superior quality & performance
- Compact
- Easy & simplified operation
- Positive recirculation on membrane elements
- Stainless steel frame & plumbing
- Mounted on casters
- Stainless steel recirculation pump with industrial motor (top mounted)
- Stainless steel electrical box
- Stainless steel modular CIP tank
- Permeate & concentrate valve panel
- Option of expansion up to 4 elements, 2 high pressure pumps
- Programmable controller
- Low pressure & high temperature safety protection
- Feed pump & 2 filter housings (20")
- Digital conductivity monitor
- 5 years limited warranty

Options :

- + Inlet strainer 1.5"
- + Horizontal element support
- + Remotely controlled via web access
- + Inline brix monitor
- + 230V - 460V - 600V - 3 phases



Model	Membrane Quantity	Prefilter 5 microns	Feed Pump	Pressure Pump	Recirculation Pump	Amps. 240 volts	Dimensions (L x D x H)
MemPro 1000H-SS	1 x 8"	4 x 20"	2,5 hp	1 x 5 hp	1 x 1,5 hp	35	69" x 32 3/4" x 73" + 19"
MemPro 2000H-SS	2 x 8"	4 x 20"	2,5 hp	1 x 5 hp	2 x 1,5 hp	45	69" x 32 3/4" x 73" + 19"
MemPro 3000H-SS	3 x 8"	4 x 20"	2,5 hp	2 x 5 hp	3 x 1,5 hp	70	69" x 32 3/4" x 73" + 19"
MemPro 4000H-SS *	4 x 8"	4 x 20"	2,5 hp	2 x 5 hp	4 x 1,5 hp	77	69" x 32 3/4" x 73" + 19"
MemPro 5000H-SS	5 x 8"	4 x 20"	2,5 hp	3 x 5 hp	5 x 1,5 hp	103	69" x 32 3/4" x 90" + 19"
MemPro 6000H-SS	6 x 8"	4 x 20"	2,5 hp	3 x 5 hp	6 x 1,5 hp	110	69" x 41" x 90" + 19"

Model	Membrane Quantity	Prefilter 5 microns	Feed Pump	Pressure Pump	Recirculation Pump	Amps. 240 volts	Dimensions (L x D x H)
MemPro 1200V-SS *	2 x 8"	2 x 20"	2,5 hp	1 x 5 hp	2 x 1,5 hp	45	80" x 24" x 64"
MemPro 1800V-SS	3 x 8"	2 x 20"	2,5 hp	1 x 7,5 hp	3 x 1,5 hp	64	100" x 24" x 64"
MemPro 2400V-SS	4 x 8"	2 x 20"	2,5 hp	1 x 7,5 hp	4 x 1,5 hp	71	120" x 24" x 64"

* picture above



Optional
Remotely controlled
via web access

MemPro 350V-900V SS

- Superior quality & performance
- Compact modular conception
- Easy & simplified operation
- Positive recirculation on membrane elements
- Stainless steel frame & plumbing
- Mounted on casters
- 2 Stainless steel high pressure pumps with industrial motors (top mounted)
- Stainless steel modular CIP tank
- Stainless steel electrical box
- Permeate & concentrate valve panel
- Option of expansion up to 3 elements
- Low pressure & high temperature safety protection
- Feed pump & 2 filter housings
- Digital conductivity monitor
- 5 years limited warranty

Options :

- + Inlet strainer 1.5 inch
- + Drainage by air «Mempro Flush» patent # US 8,889,001 B2
- + Individual vessel flowmeters
- + Wi-Fi remote control
- + Inline brix monitor
- + 230V - 460V - 600V - 3 phases

Model	Membrane Quantity	Prefilter 5 microns	Feed Pump	Pressure Pump	Recirculation Pump	Amps. 240 volts	Dimensions (L x D x H)
Mempro 350V-SS	1 x 8"	1 x 20"	-	1,5 hp	1,5 hp	15	19" x 25" x 64"
MemPro 450V-SS	1 x 8"	1 x 20"	1 hp	3 hp	1,5 hp	27	19" x 25" x 64"
MemPro 600V-SS *	1 x 8"	1 x 20"	1 hp	5 hp	1,5 hp	34	19" x 25" x 64"
MemPro 900V-SS	2 x 8"	1 x 20"	2,5 hp	5 hp	2 x 1,5 hp	45	38" x 25" x 64"

* picture above



8" POST


- Superior quality and performance
- Compact conception
- Easy and quick installation
- Positive recirculation on membrane elements
- Stainless steel frame and plumbing
- Mounted on caster (Only vertical model)
- Stainless steel recirculation pump with industrial motor (Top mounted)
- 5 years limited warranty

Model	Membrane Quantity	Recirculation Pump	Amps. 240 volts	Dimensions (L x D x H)
SS Vertical Post *	1 x 8"	1.5 hp	6.5	18" x 24" x 62"
SS Horizontal Post	1 x 8"	1.5 hp	6.5	62" x 9" x 20"
SS Double Post	2 x 8"	3 hp	13	105" x 10" x 21"

* picture above



Optional
Remotely controlled
via web access



MemPro 350H

- Superior quality & performance
- Affordable & compact
- Frost protection - drainable conception
- Horizontal installation on top of sap tank
- No need of concentrate tank (batch concentration)
- 10 minutes fast & simple installation
- Low electrical power consumption
- Easy & simplified operation
- Positive recirculation on membrane elements
- Stainless steel frame & plumbing
- Mounted on casters
- Stainless Steel recirculation pump
- SS high efficiency pressure pumps
- Low pressure and high temperature safety protection
- 10 inch filter housing

- Strainer included
- 5 years limited warranty
- Patent # CA 2,642,050 & # US 8,025,799

Options :

- + GFCI Breaker (must be used when installation above sap tank)
- + Concentrate & permeate valve panel
- + Inlet strainer 1 po



Optional
Remotely controlled
via web access



MemPro 100-200H

- Superior quality & performance
- Affordable & compact
- Frost protection - drainable conception
- Horizontal installation on top of sap tank
- No need of concentrate tank (batch concentration)
- 10 minutes fast & simple installation
- Low electrical power consumption
- Easy & simplified operation
- Positive recirculation on membrane elements
- Stainless steel frame & plumbing
- Mounted on casters
- Stainless Steel recirculation pump
- SS high efficiency pressure pumps
- Low pressure and high temperature safety protection
- 10 inch filter housing
- Strainer included
- 5 years limited warranty
- Patent # CA 2,642,050 & # US 8,025,799

Options :

- + GFCI Breaker (must be used when installation above sap tank)
- + Concentrate & permeate valve panel
- + Inlet strainer 1 po

Model	Membrane	Prefilter	Pressure	Recirculation	Amps.	Weight	Dimensions
Ga/hour	Quantity	5 microns	Pump	Pump	240 volts	(lbs)	(L x D x H)
MemPro 350H	1 x 8"	1 x 10"	1,5 hp	1,5 hp	15	320	64" x 22" x 23"

Model	Membrane	Prefilter	Pressure	Recirculation	Amps.	Weight	Dimensions
Ga/hour	Quantity	5 microns	Pump	Pump	120 volts	(lbs)	(L x D x H)
MemPro100H	1 x 4"	1 x 10"	½ hp	½ hp	14	150	50" x 16" x 21"
Mempro 200H *	2 x 4"	1 x 10"	¾ hp	½ hp	18	175	50" x 16" x 21"

* picture above



MiniPro 100 SS

- For maple bush of 200 to 500 taps
- Superior quality & performance
- Affordable & compact
- Low pression protection
- Frost protection - drainable conception
- Horizontal installation on top of sap tank or vertical installation
- Fast & simple installation
- No need of concentrate tank (batch concentration)
- Low electrical power consumption
- Easy & simplified operation
- Stainless steel frame & plumbing
- Mounted on casters
- SS high efficiency pressure pumps
- 10 inch filter housing
- Strainer included
- 5 years limited warranty
- Patent # CA 2,642,050
- Patent # US 8,025,799

Options :

- + Flowmeters panel
- + 120 volt GFCI breaker



Model	Membrane Quantity	Prefilter 5 microns	Pressure Pump	Recirculation Pump	Amps. 120 volts	Weight (lbs)	Dimensions (L x D x H)
MiniPro 100 SS	1 x 4"	1 x 10"	½ hp	½ hp	14	150	50" x 16" x 21"

Smart pH neutralizer

MemPro pH Control

- Neutralize the pH of your washing water from your RO with our **MemPro pH Control** system in a simple and completely automated way.
- Whether your water is acidic or basic, our system will inject acid or a base as needed to neutralize the solution and thus safely reject it in the environment.
- You will be able to do and monitor the neutralization process remotely using the touch screen of the **Mempro pH Control** system with wifi.
- 2 models are available : the smart model and the automatic model.
- Greatly reduce the amount of wash water to be neutralized with the Memproflush technology.
- Compatible with **MEMPROTEC RO's** and all brands of RO'S.

Inform yourself!





Delta Pro 2400-9600

- Frame: Stainless Steel
- Control box certified NEMA
- Stainless steel plumbing 304
- Solenoid valve 304 SS
- Electronic controller with indicator light for full tank, low pressure monitoring at feed pump, pre-treatment, rinse and start-up interlock.
- Sediment pre-filter BB - 20" 5 micron
- Automatic rinsing with programmable supply water
- 1 year limited warranty

Model	Membrane Quantity	Gallons / day	Pressure Pump	Amps. 240 volts	Dimensions (L x D x H)
Delta Pro 2400	1 x 4"	2400	1 hp	6,8	24" x 16" x 55"
Delta Pro 4800*	2 x 4"	4800	1 hp	6,8	24" x 16" x 55"
Delta Pro 7200	3 x 4"	7200	1,5 hp	9,2	24" x 16" x 55"
Delta Pro 9600	4 x 4"	9600	1,5 hp	9,2	24" x 16" x 55"

* picture above

Digital Refractometer

694076



Inline refractometer

0-33 3603
0-80 3604 (for syrup)



3603 3604

Automatic draw-off valve

506050



BARINOX Stainless Steel Drums

25 gl 3805100
34 gl 3805101
40 gl 3805104



Strainer

1" 398505
1½" 39957
2" 398504
3" 398507



Valve panel

1/2" 501525
3/4" 501526
1" 501527
1-1/4" 501530



20" Filter Housing

Big blue 399931
10" 38019
20" 38009



Membrane Storage Vessel

4" 899254
8" 899255



Complete filter kit 350 lbs and pump


Plastic filter 45 gpm 399954
Plastic filter 75 gpm 399955
Stainless filter 75 gpm 399957
Glass media 60 lbs 3807660



CHOICE OF PUMP
With the purchase
of a filter

Membrane

Membrane 4" MEMPRO 4040 LFT-HE 399994
Membrane 8" MEMPRO 8040 LFT-HE 399991



Cleaners and accessories



MEMPROTEC

Monitoring and maintenance of your membranes every day of the sugar season is essential to maintain optimal concentration performance throughout the season and to preserve your membranes in the long run. **MEMPROTEC** offers you a complete range of high performance maintenance products for your RO.



Cleaners for pans

SUPER CLEAN Cleaner Food Grade

4 L 40F01-004
20 L 40F01-003



Esthetic Cleaner for stainless steel accessories

4L 38050



Filtering powder

Hy-Flo 50lbs 38003



Cleaners for membranes

Bio-Clean B cleaner

Membrane cleaner for Mempro 8040 LFT-HE, Filmtec, Mempro NF-70, H2O, Hydranautics

A 4 L 380015 **B** 20 L 380016

Bio-Protec PG

Long term storing solution.

C 4 L 37985PP **D** 20 L 37986PP

Bio-Acid

Cleaner for reverse osmosis or nanofiltration membrane.

E 2 KG 37995 **F** 4 KG 379951
G 18 KG 379951

Bio-Preserve

Short term preservation.

H 16 oz 379905

OXISAN Cleaner

M 4L 38006
20L 380061

Filters

Filter Cartridge

K 9 -7/8" Purtrex 5 microns 39905
L 20" Purtrex 5 microns 38002

4½ x 20" Soap filter

I Single use 255496
J Reusable SS 380449

7" x 30" Soap prefilter

N 380775



CLEANERS FOR TUBING

Cleaning Kit

Reservoir and dispenser 40G02-001
Cleaning tip 1¼" 40G02-002



Isopropyl Alcohol 70%

20L 380340
205L 380342



SPOUTS

5/16" SERIE



SOON AVAILABLE IN 3/16"
ASK YOUR DISTRIBUTOR!



PERMANENT SPOUT
● orange

302 942-O
0,25 \$

302 944
0,22 \$



PERMANENT SPOUT
● green

302 704-V
0,25 \$

302 943
0,22 \$



PERMANENT SPOUT
● light blue

302 704-B
0,25 \$

302 912
0,25 \$



PERMANENT SPOUT
● dark blue

302 910
0,25 \$

302 913
0,22 \$



PERMANENT SPOUT
● black

302 704
0,25 \$

302 911
0,22 \$



PERMANENT SPOUT
○ white

302 909
0,25 \$

302 914
0,22 \$

SEASONAL

AVAILABLE :

- blue
- green
- orange
- clear
- smoked gray



CLEAR SPOUT REDUCER
7/16" TO 5/16"

302 702-PC

0,19 \$



CLEAR SPOUT REDUCER
1/4"

302 908

0,19 \$



CLEAR SPOUT REDUCER
1/4"

302 907

0,19 \$



CLEAR SPOUT REDUCER
5/16"

302 703-PC

0,19 \$



SPOUT REDUCER MALE
7/16" TO 5/16"

● black only
302 702

0,25 \$



ORANGE SPOUT
SEASONAL
19/64"

● orange

302 704-O

0,19 \$



WHITE SPOUT
SEASONAL
19/64"

○ white

302 704-BC

0,19 \$

All our spouts are
compatible with :

O'Ring



CONNECTORS

3/16" SERIE



NEW

TEE LONG CUP

302 928
● black

0,35 \$



TEE SHORT CUP

302 926
● black

0,30 \$



NEW

TEE LONG CUP/PIN

302 930
● black

0,45 \$



TEE MALE PIN

302 932
● black

0,30 \$



SINGLE SADDLE
MANIFOLD W/SCREW
SWIVEL HEAD 3/16"

302 820 - 3/4"
302 821 - 1"
302 822 - 1 1/4"
● black

1,95 \$



ELBOW

302 939
● black

0,30 \$



NEW

END LONG T LONG CUP
OBSTRUÉ

302 929
● red

0,40 \$



END LINE T / PIN
OBSTRUÉ

302 927
● red

0,35 \$



NEW

END LINE T LONG CUP/PIN
OBSTRUÉ

302 931
● red

0,45 \$



END LINE T/PIN
OBSTRUÉ

302 933
● red

0,40 \$



TEE REGULAR

302 938
● black

0,30 \$



NEW

ELBOW
5/16" - 3/16"

302 925
● black

0,30 \$



NEW

END HOOK T LONG CUP/
PIN

302 934
● black

0,45 \$



NEW

END HOOK T SHORT CUP/
PIN

302 936
● black

0,45 \$



NEW

END HOOK T LONG CUP

302 935
● black

0,45 \$



NEW

END HOOK T SHORT CUP

302 937
● black

0,45 \$



NEW

END LINE HOOK

302 940
● black

0,23 \$



NEW

CONNECTOR W/HOOK

302 941
● black

0,22 \$

CONNECTORS

5/16" SERIE



Ask for
O'Ring

ACCESSORIES



NEW

TEE LONG CUP

302 915
● black

0,35 \$

NEW

**END LINE T LONG CUP
OBSTRUÉ**

302 916
● red

0,40 \$

NEW

**END HOOK T
LONG CUP/PIN**

302 919
● black

0,45 \$

FLAG MARKER

302 885-R
● red
302 885-O
● orange
302 885-Y
● yellow

0,30 \$ /each

**SINGLE SADDLE
MANIFOLD W/SCREW
SWIVEL HEAD
3/16" OR 5/16"**

302 820 - 3/4"
302 821 - 1"
302 822 - 1 1/4"
● black

1,95 \$

**DOUBLE SADDLE MANIFOLD W/
SCREW SWIVEL HEAD 5/16"**

302 830 - 3/4"
302 831 - 1"
302 832 - 1 1/4"
● black

1,95 \$

TEE FEMELLE CUP

302 715
● black

0,30 \$

**END LINE T SHORT CUP
OBSTRUÉ**

302 717
● red

0,35 \$

NEW

**END HOOK T
SHORT CUP/PIN**

302 921
● black

0,45 \$

COLLAR

302825 - 3/4"
302826 - 1"
302827 - 1 1/4"
● black

0,85 \$

**VACUUM TESTER
ADAPTER**

Test vacuum on the spout
or/and the mainline.

302 884

11,95 \$

**SINGLE SADDLE MANIFOLD
1" WITH COLLAR - FIXED
HEAD**

302 887
● black

2,25 \$

NEW

TEE LONG CUP/PIN

302 917
● black

0,45 \$

NEW

**END LINE T LONG
CUP/PIN OBSTRUÉ**

302 918
● red

0,45 \$

NEW

**END HOOK T
LONG CUP**

302 920
● black

0,45 \$

**SADDLE MAINFOLD
UNIVERSAL-FIXED HEAD**

302 905
● black

1,50 \$

FORK 5/16"

302 724
● black

0,50 \$

END LINE VALVE

302 741 - 1"
302 741 - 3/4"

9,95 \$

TEE MALE PIN

302 714
● black

0,30 \$

**END LINE T/PIN
OBSTRUÉ**

302 716
● red

0,35 \$

NEW

**END HOOK T
SHORT CUP**

302 922
● black

0,45 \$

**SADDLE MANIFOLD
RUBBER 5/16"**

302 829
● black

0,95 \$

**STRANGLER
W / LOOP / RING 5/16"**

302 730
● noir

0,69 \$

**STRANGLER
W/HOOK 5/16"**

302 731
● black

0,69 \$

TEE 5/16" - 3/16"

302 924
● black

0,30 \$

TEE REGULAR

302 712
● black

0,30 \$

NEW

END LINE HOOK

302 923
● black

0,23 \$

CAP MALE W/HOOK 5/16"

302 734
● black

0,20 \$

**CAP FEMALE - END CAP
5/16"**

302 736
● noir

0,20 \$

FLASK CLEAR AND CAP

302 901

0,25 \$

ELBOW

302 720
● black

0,30 \$

**CONNECTOR
W/HOOK**

302 722
● black

0,22 \$

**END LINE
LOOP/RING**

302 728
● black

0,20 \$

CONNECTOR

302 710
● black

0,20 \$

**STAR 3-WAYS
5/16"**

302 753
● black

2,10 \$

**STAR 6-WAYS
5/16"**

302 756
● black

2,10 \$

PERFECT FOR
SPOUTS SANITATION



Oil-sealed rotary screw
ATLAS COPCO vacuum pumps
with Variable Speed Drive VSD

GHS 350-900VSD+ SERIE

- High energy efficiency
- Reliability assured
- Respectful of the environment
- Quick and easy installation

Model	Capacity (CFM)	Max. Vac. (InHg)	Hp
GHS350VSD+	240	29.91	7.5
GHS585VSD+	330	29.91	10
GHS730VSD+	430	29.91	15
GHS900VSD+ 3PH seulement	510	29.91	20



Oil-sealed rotary vane
ATLAS COPCO pumps

GVS 25-630 A SERIE

- Robust design
- Extended oil life
- Ready to use
- Clean and efficient

Model	Capacity (CFM)	Max. Vac. (InHg)	Hp
GVS25A	17	29.91	1.2
GVS40A	31	29.91	2
GVS60A	42	29.91	3
GVS100A	69	29.91	5
GVS150	107	29.92	5
GVS200A	130	29.92	7.5
GVS300A	200	29.92	8.6
GVS470A	366	29.92	15
GVS630A	494	29.92	25



GHS200

For vacuum pump GHS VSD+ by Atlas Copco



VAC200

For all different types of vacuum pump

ÉrabliTEK Modulation controllers for vacuum pumps

- To increase the efficiency by controlling the vacuum level with respect to the temperature.
- Avoid freezing at the level of the tubing in the forest
- Prevents premature wear of pumps
- Automatically controled to reduce your workload
- Energy saver because the pump is used to its full potential only when necessary



RELIABLE, SIMPLE AND HIGH PRECISION DESIGN

The **ÉrabliTEK releaser** is designed to operate in **absolute vacuum** and without recoil in the forest. It is by far the most powerful on the market with an 100% automation.

It has a brand new eletronic controller to collect very interesting data such as :

- Vacuum level
- Quantity of liters in the release
- Total liters accumulated since the last reset to 0
- Time between 2 releases
- Current time since last release

Add also the autocleaning option, very appreciated by our customers !
You now have the ability to remote control and monitor your releasers and modulation controllers without having a complete management system. Contact us !



Humidity trap by ÉrabliTEK

Avoid stopping your vaccum pump

Humidity trap by ÉrabliTEK is designed to work in absolute vacuum and continuously. It has the capacity to empty the water that has accumulated without causing the stop of vacuum pump and recoil in the forest.




No sap kick-back

Avoid drowning your vacuum pump

The **ÉrabliTEK No sap kick-back** is designed to physically prevent water from backing up to your vacuum pump and protect it from damage. In the event that nothing is able to stop the flow of water that goes back to your vacuum pump, the No sap kick-back will be the ultimate protection.

It is available for air line 2" and 3".

Description		
TRAP-ASS	Assembled humidity trap	-
REL12-ASS	Mechanical releaser 12" assembled (6 holes included)	2 500 taps
REL24-ASS	Mechanical releaser 24" assembled (6 holes included)	5 000 taps
REL36-ASS	Mechanical releaser 36" assembled (9 holes included)	10 000 taps
REL48-ASS	Mechanical releaser 48" assembled (12 holes included)	15 000 taps
TROU-SUP	Additional standard hole	-
TROU-NNSTD	Hole other than standard positions	-
SYS-LAV	Washing system	-
OPT-ELEC	Electric releaser obligatory (Pump & contactor)	-



Installation Tool			
5/16"	Aluminum	35L04-001	\$325.00
3/16"	Aluminum	35L04-002	\$315.00



Tapping Hammer with Spout Remover		
Aluminum	35L01-003	\$35.00

Tapping Hammer with Axe		
Aluminum	35L01-004	\$35.00



Tapping Hammer Two Face		
Aluminum	35L01-001	\$28.00



Spout Remover		
15"	35L02-004	\$35.00
22 1/2"	35L02-005	\$39.00
30"	35L02-007	\$43.00
40"	35L02-009	\$47.00
48"	35L02-011	\$49.00
60"	35L02-012	\$54.00



Aluminum Wire Strainer		
30"	35L03-002	\$102.00

Stainless steel fittings

A Threaded adapter

(mnp x ins)	
1/2" x 1/2"	6963501
1/2" x 3/4"	6963502
3/4" x 1/2"	6963503
3/4" x 3/4"	6963504
3/4" x 1"	6963505
1" x 3/4"	6963506
1" x 1"	6963507
1" x 1 1/4"	6963508
1 1/4" x 1"	6963509
1 1/4" x 1 1/4"	6963510
1 1/4" x 1 1/2"	6963511
1 1/2" x 1"	6963512
1 1/2" x 1 1/4"	6963513
1 1/2" x 1 1/2"	6963514
1 1/2" x 2"	6963515
2" x 1 1/2"	6963516
2" x 2"	6963517
3" x 3"	6963518

B Straight coupling

(ins x ins)	
1/2"	6963520
3/4"	6963521
1"	6963522
1 1/4"	6963523
1 1/2"	6963524
2"	6963526
3"	6963527

C Reducer insert

(ins x ins)	
1" x 3/4"	6963530
1 1/4" x 3/4"	6963531
1 1/4" x 1"	6963532
1 1/2" x 3/4"	6963533
1 1/2" x 1"	6963534
1 1/2" x 1 1/4"	6963535
2" x 1"	6963536
2" x 1 1/4"	6963537
2" x 1 1/2"	6963538
3" x 2"	6963539

D Elbow welded 90°

(ins x ins)	
3/4"	6963540
1"	6963541
1 1/4"	6963542
1 1/2"	6963543
2"	6963544

Elbow welded 45°

(ins x ins)	
3/4"	6963550
1"	6963551
1 1/4"	6963552
1 1/2"	6963553
2"	6963554

E "Y" fitting

(ins x ins)	
1/2" x 1/2"	6963560
3/4" x 1/2"	6963561
3/4" x 3/4"	6963562
1" x 3/4"	6963563
1" x 1"	6963564
1 1/4" x 3/4"	6963565
1 1/4" x 1"	6963566
1 1/4" x 1 1/4"	6963567
1 1/2" x 3/4"	6963568
1 1/2" x 1"	6963569
1 1/2" x 1 1/4"	6963570
1 1/2" x 1 1/2"	6963571
2" x 3/4"	6963572
2" x 1"	6963573
2" x 1 1/4"	6963574
2" x 1 1/2"	6963575
2" x 2"	6963576

F "Y" reducer fitting

(ins x ins)	
1" x 3/4" x 3/4"	6963580
1 1/4" x 1" x 3/4"	6963581
1 1/4" x 1" x 1"	6963582
1 1/2" x 1" x 3/4"	6963583
1 1/2" x 1" x 1"	6963584
1 1/2" x 1 1/4" x 3/4"	6963585
1 1/2" x 1 1/4" x 1"	6963586
1 1/2" x 1 1/4" x 1 1/4"	6963587
2" x 1 1/2" x 1"	6963588
2" x 1 1/2" x 1 1/4"	6963589
2" x 1 1/2" x 1 1/2"	6963590

G "T" Fitting

(ins x ins)	
3/4" x 1 1/4" x 1 1/4"	6963591
1" x 1" x 3/4"	6963592
1" x 1" x 1"	6963593
1 1/4" x 1 1/4" x 3/4"	6963594
1 1/4" x 1 1/4" x 1"	6963595
1 1/4" x 1 1/4" x 1 1/4"	6963596
1 1/2" x 1 1/2" x 1"	6963597
1 1/2" x 1 1/2" x 1 1/4"	6963598
1 1/2" x 1 1/2" x 1 1/2"	6963599
2" (oversised) x 2" (oversised) x 1"	69635991
2" (oversised) x 2" (oversised) x 1 1/4"	69635992
2" (oversised) x 2" (oversised) x 1 1/2"	69635993
2" (oversised) x 2" (oversised) x 2" (oversised)	69635994
3" x 3" x 3" (ins x ins)	69635995



Collars

High Performance Stainless steel collar grade 304

For tube :		Width / Thickness
3/4"	599905	14.2 mm X 0.7 mm
1"	59990	14.2 mm X 0.7 mm
1 1/4"	32824	14.2 mm X 0.7 mm
1 1/2"	52.HAS020	14.2 mm X 0.7 mm
2"	52.HAS028	15.8 mm X 0.8 mm
3"	52.HAS044	15.8 mm X 0.8 mm



Stainless steel Industrial collar

For tube :		
1"	6960209	Single Hex Bolt
1 1/4"	6960211	Double Hex Bolt
1 1/2"	6960218	Double Hex Bolt
2"	6960215	Double Hex Bolt
3"	6960222	Double Hex Bolt



Camlock adapters

POLYPROPYLENE

All adapters are available in stainless steal



Part A

3/4"	69558
1"	69679
1 1/4"	696794
1 1/2"	696796
2"	696797



Part B

3/4"	69674
1"	69551
1 1/4"	69562
1 1/2"	695515
2"	695516



Part C

3/4"	69557
1"	69677
1 1/4"	69422
1 1/2"	694224
2"	695571



Part D

3/4"	69561
1"	69678
1 1/4"	696784
1 1/2"	695621
2"	69563



Part E

3/4"	69556
1"	69676
1 1/4"	696765
1 1/2"	696764
2"	6967645



Part F

3/4"	69675
1"	69680
1 1/4"	695586
1 1/2"	696763
2"	6967635



Part DP

3/4"	695632
1"	695633
1 1/4"	695634
1 1/2"	695635
2"	695636



Part DC

3/4"	695585
1"	695589
1 1/4"	695590
1 1/2"	695591
2"	695592

Valves



Ball Valve

(threaded)	
1/2"	9999501
3/4"	9999502
1"	9999503
1 1/4"	9999504
1 1/2"	9999505
2"	9999506
3"	9999507



Guillotine Valve PVC

1 1/2"	69714
2"	697146
3"	697148



Orange Teflon tape

1/2" X 540" 59897



Ball Valve SS

(fnpt x fnpt)	
1/4"	699736
1/2"	699737
3/4"	699725
1"	695867
1 1/4"	695865
1 1/2"	695866
2"	695868



Butterfly Valve SS
with pull handle

with viton seal	
1 1/2"	9998201
2"	9998209



Paste Teflon

250 ml 598935

Quick clamp fittings | Stainless steel



Insert Fitting

1"	Clamp 1 1/2"
1 1/2"	Clamp 1 1/2"
2"	Clamp 1 1/2"
2"	Clamp 1 1/2"
	Clamp 2"
	Clamp 2"
	Clamp 2 1/2"



Female Threaded Fitting

1"	Clamp 1 1/2"	9998221
1 1/2"	Clamp 1 1/2"	9998227
2"	Clamp 2"	9998222
2"	Clamp 2 1/2"	9998226
2 1/2"	Clamp 2 1/2"	9998223



Male Threaded Fitting

1"	Clamp 1 1/2"	9998230
1 1/2"	Clamp 1 1/2"	9998231
1 1/2"	Clamp 1 1/2"	9998232
2"	Clamp 2"	9998233
	Clamp 2 1/2"	
	Clamp 2 1/2"	



Clamp HD

Clamp 1 1/2"	9998206
Clamp 2"	9998210
Clamp 2 1/2"	9998214



Gasket

Clamp 1 1/2"	9998207
Clamp 2"	9998203
Clamp 2 1/2"	9998211



Cap

Clamp 1 1/2"	99982252
Clamp 2"	9998225
Clamp 2 1/2"	99982255

Connecting system



Flexible Vacuum Hose
Food Grade

699325	1"
699326	1 1/4"
699327	1 1/2"
699328	2"
699329	3"



Braided PVC Clear Hose

69932	3/4" - 150 PSI
69824	1" - 125 PSI
69602	1 1/4" - 100 PSI
696029	1 1/2" - 100 PSI
696031	2" - 75 PSI



Vinyl Clear Hose

69939	3/4" X 1/8" THICK - 35 PSI
6993955	1" X 1/8" THICK - 25 PSI
6993956	1 1/4" X 1/8" THICK - 20 PSI
6993959	3/4" X 1/4" THICK - 40 PSI
	1" X 1/4" THICK - 35 PSI
	1 1/4" X 1/4" THICK - 40 PSI
	1 1/2" X 1/4" THICK - 35 PSI



Rubber Coupling

598941	with collars - 1 1/4"
59894	with collars - 1 1/2"
598942	with collars - 2"
598943	with collars - 3"
59896	reducer with collars - 1 1/2" x 1 1/4"
598945	reducer with collars - 2" x 1 1/2"




High gloss blue reinforced PVC Hose

1/2"	128-696006
3/4"	128-696007
1"	128-696010
1 1/4"	128-696012
1 1/2"	128-696015

Our distributors | USA

555 VT route 78, Swanton VT 05488
Tél : 844-382-2244 | Fax : 819-382-2111



Find the nearest
MEMPROTEC distributor!

United States



Kentucky

Sweet Life Farms

34y James street
Pikeville, KY 41501

Telephone : 606 434-0521
jamesword@gmail.com

Maine

Suga Country Products

871 Cross Hill Road
Vassalboro, ME 04989

Telephone : 207 923-3355
sugacountryproducts@gmail.com

WF Mason Evaporators

90 Chapel Street
Porter, ME 04068

Telephone : 207-625-8089
wfmasonevaporator@gmail.com

New Hampshire

Tyler Johns

8, Depot Street North
Woodstock, NH 03262

Telephone : 603-348-6007
mountain.maples_1@yahoo.com

Windswept Maples Farm

845, Loudon Ridge Road
Loudon, NH 03307

Telephone : 603-267-8492
jeff@windsweptmaples.com

New York

Doug Beitz

19 Jefferson St.
Attica, NY 14011

Telephone: 585-813-6623
dougbeitz@yahoo.com

Leroy Burnham

16695 Sandy Creek Valley Road
Watertown, NY 13601

Telephone : 315-767-2845
mapleCHASEfarm@yahoo.com

MKS Enterprises inc.

60 Porter Lynch Road
Norwood, NY 13668

Telephone : 315-353-2808
mks@slc.com

Schweigarts Maple Equipment

804 County Route 103
Woodhull, NY 14898

Telephone : 302-236-8621
gschweigart08@gmail.com

Ohio

Stumpwater Farm LLC

29499 Clark Road
Sullivan, Ohio 44880

Telephone : 419-736-3576
stumpwater@outlook.com

Pennsylvania

DL Sheets Maple Products

14942 Dickson Road
Meadville, PA 16335

Telephone : 814-337-0103
sheetstool@zoominternet.net

Vermont

John Cross

1330 route 78
Alburgh, VT 05440

Telephone : 802-309-8452
jcross3071@yahoo.com

Lyman Gilman

1153 Delano Road
Albany, VT 05820

Telephone : 802-755-6268
lymangilman@gmail.com

Roaring Brook Maple

60 South Main Street
Wallingford, VT 05773

Telephone : 802-558-1931
roaringbrookmaple@yahoo.com

Stephan Wheeler

259 Derby Pond Road
Derby, VT 05829

Telephone : 802-766-2700
wheeler@jedsmapple.com

Wisconsin

Charles Wagner

W6756 Aspen Lane
Crivitz, WIS 54114

Telephone : 715-927-4022
wagnerssugarhill@hotmail.com

Smoky Lake Maple Products

208 N 12th St
Hilbert, WIS 54129

Telephone: 920-202-4500
jim@smokylakemaple.com



Bas-Saint-Laurent

Ferme Couturval
Contact : Pierre Couture

580, rang Couturval
Amqui, Qc, G5J 1X2

Mobile : 418 631-9358
couturval@gmail.com

Gestion des Appalaches
Contact : Gilles Proulx

1 Chemin Duchenier
Saint-Narcisse-de-Rimouski, Qc, G0K 1S0

Telephone : 418 735-6291
Mobile : 581 246-1248
gestionsappalaches@gmail.com

Olivier Chamberland
201 rang 3 Nord
Notre-Dame-du-Lac, Qc G0L 1X0

Telephone : 418 899-1721
Mobile : 418 860-7224
olivierbrian1@hotmail.com

René Ouellet
237, rue Principale
Saint-Pierre-de-Lamy, Qc, G0L 4B0

Telephone : 418 714-4666
rene-ouellet@hotmail.com

Capitale-Nationale

LS Bilodeau (Division Qc)
1025 2e rang
Neuville, Qc G0A 2R0

Telephone : 418-876-0006
qcproduction@lsbilodeau.com

Mécanique Michel Delisle
Contact : Michel Delisle

225, rue Rampré
St-Ubalde, Qc, G0A 4L0

Telephone : 418 277-9004
mecaniquemd@globetrotter.net

Centre-du-Québec

David Leblanc
830 rang St-Louis
Ste-Brigitte-des-Saults, Qc J0C 1E0

Mobile : 819 698-1250
dlservicesforestiers@gmail.com

Le poêle à Boissonneault
Contact : Sébastien Boissonneault

305 route 116 Est
Princeville, Qc, G6L 4K6

Telephone : 819 960-4672
lepoeleaboissonneault@outlook.com

Les équipements d'érablières Stars
Contact : Christian Gagnon

437 avenue Normand
Laurierville, Qc G0S 1P0

Telephone: 819 362-5549
lesequipementserablieresstars@outlook.com

Tôle-Inox
Contact : Gilles Lamontagne

465 St-Jean-Baptiste
Princeville, Qc, G6L 4B7

Telephone : 819 364-7669
info@toleinox.com

Chaudière-Appalaches

Dan Corriveau
120 rue Perreault
Frampton, Qc, G0R 1M0

Telephone : 418 479-2077
Mobile : 418 389-7934
dcorriveau@lsbilodeau@hotmail.com

Danik Lapointe
98, 2e rang Est
Saint-Gervais, Qc, G0R 3C0

Telephone : 581 986-7097
danik.lapointe@outlook.com

Équipements DG Marcoux
Contact : Gérald Marcoux

930 avenue Principale
Saint-Elzéar, Qc, G0S 2J0

Telephone : 418 387-1398 / 418-387-7848
gerald.marcoux@axion.ca

Équipements R. Quirion
Contact : Rénauld Quirion

103 Rue Cordi
Saint-Gédéon-de-Beauce, Qc, G0M 1T0

Telephone : 418 582-3005
equipementsrq@globetrotter.net

Francis Gauthier
181 Rang 8
Saint-Adalbert, Qc, G0R 2M0

Telephone : 418 356-2344
Mobile : 418 356-6587
limousinedantan@hotmail.com

Jean Paradis
623, 15e Avenue
Saint-Zacharie, Qc, G0M 2C0

Telephone : 418 593-3386
Mobile : 581 372-3302
jeanp@cablezach.com

Les entreprises David Pelletier
535, 5E rang
Saint-Damase-de-L'Islet, Qc, G0R 2X0

Telephone : 418 234-2495
Mobile : 418 234-2495
dpelletier03@outlook.com

L.S. Bilodeau
281 route 108 Est
St-Éphrem-de-Beauce, Qc, G0M 1R0

Telephone : 418 484-2013
No fee : 1-888-557-4767
info@lsbilodeau.com

Michel Proulx
110 Beaurivage
Saint-Sylvestre, Qc, G0S 3C0

Telephone : 418 596-2827
Mobile : 418 389-2287
michelp@lsbilodeau.com

Produit de l'érable St-Ferdinand B
Contact : Bruno Boutin

185 Rte 165
Irlande, Qc, G6H 2N7

Telephone : 418 428-9381
info@produitdelerable.com

R.D. Langlois
Contact : Réjean Langlois

1039 Principale
Tourville, Qc, G0R 4M0

Telephone : 418 359-3064
deschenes-d@hotmail.com

Roger Rodrigue
442 rue Principale
St-Cyprien-Des-Etchemins, Qc, G0R 1B0

Mobile : 418 625-0345
roger.rodrigue@sogetel.net

Estrie

BHR Experts
Contact : Maxime Hallé

70 Chemin Lachance
Audet, Qc, G0Y 1A0

Telephone : 819 583-5330
Fax : 819 583-1350
info@bhrexperts.com

Équipement DR
Contact : Denis Sage

121 Route 147 Sud
Coaticook, Qc, J1A 2S2

Telephone : 819 578-4762
equipementdr@gmail.com

Érablière Alan Isabel
112A, avenue de La Rivière
Courcelles, Qc, G0M 1C0

Mobile : 819 582-2233
alan.isabel.18@gmail.com

Gaston Fortier
379 rue Principale
St-Romain, Qc, G0Y 1L0

Telephone : 418 486-7579
Mobile : 418 334-3501
gastonhd@hotmail.ca

Ferme Les Perron
Contacts :
Alexandre Blais : 819 347-4297
Yves Fauteux : 819 347-5623

750 Route 108
Bury Qc, J0B 1J0

Office : 819 872-3760
Fax : 819 872-1190
lesperron@xittel.ca

Nation de l'érable Brien
Contact : Patrice Brien

365 9e rang Ouest
Sainte-Anne-de-la-Rochelle, Qc, J0E 2B0

Telephone : 450 522-2293
pbrien55@hotmail.com

Lanaudière

Érablière Martel
Contact : Christian Rail

1032 François-Olivier
L'Assomption, Qc, J5W 0G3
et

3700 Rang St-Anne
St-Norbert, Qc, J0K 3C0

Telephone : 514 915-4735
christianrail@hotmail.com

Laurentides

Jacques Bilodeau
3518 Chemin du Lac-Nadeau
Mont-Laurier, Qc, J9L 3G7

Mobile : 819 440-7356
erablierebilodeau@hotmail.fr

Montérégie

David Leblanc
830 rang St-Louis
Ste-Brigitte-des-Saults, Qc, J0C 1E0

Mobile : 819 698-1250
dlservicesforestiers@gmail.com

Christopher Sherrington
Contacts :
Christopher Sherrington : 514 923-2982
Nathaniel St-Pierre : 514 701-3064

292, route 202
Havelock, Qc, J0S 2C0

nathaniel.epsp@outlook.com
sherringtonchristopher@gmail.com

Sylvain Rainville
15 Rue Saint-Joseph
Bedford, Qc, J0J 1A0

Telephone : 450 248-4203
Mobile : 514 222-3501
sylvainvil@hotmail.com

Nouveau-Brunswick

Les Équipements Bouchard
Contact : Jean-François Bouchard

1584 chemin Val D'Amours
Val D'Amours, NB, E3N 5N5

Mobile : 506 987-3701
lesequipementsbouchard@gmail.com

Ontario

Éric Bélisle
376 Route 200 E.
Casselman, Qc, K0A 1M0

Telephone : 613 764-2289
Mobile : 613 223-4585
belislesugarbush@yahoo.ca

François Brunet
22400 County Road 10
Glen Robertson, ON, K0B 1H0

Telephone : 613 874-2864
Mobile : 613 360-9572
francoisbrunet60@hotmail.com

Outaouais

Guy Simoneau
683, Chemin Pierre-Laporte
L'Ange-Gardien, Qc, J8L 0P3

Mobile : 613 330-6717
miguycha@gmail.com



MEMPROTEC

UNITED-STATES

555 VT route 78
Swanton VT 05488

Telephone : 844-382-2244
Fax : 819-382-2111

CANADA

5133, de la Plaisance
Chesterville (QC), G0P 1J0, Canada

Telephone : 819-382-2244
Fax : 819-382-2111

info@memprotec.com



Follow us on Facebook

www.memprotec.com